

**Amendments to the Claims**

**Listing of Claims:**

Claims 1 - 15 (canceled).

16. (original) A molded product or container having an integrally molded multi-panel label comprising:

a multi-panel label integrally molded into a wall of the product or container,  
the multi-panel label comprising:

base and overlying panels having graphics or other information printed on at  
least the overlying panel of the base and overlying panels;

the base panel being permanently bonded to the wall within a recess formed  
by the multi-panel label within the wall during molding; and

the overlying panel being temporarily bonded to the base panel so that the  
overlying panel is at least partially separable from the base panel to  
reveal the printed information on the base panel.

17. (original) The product or container of claim 16 in which the  
overlying panel has a front surface that is substantially flush with an exterior surface  
of the wall.

18. (original) The product or container of claim 17 in which the  
overlying panel has a periphery, and a finger well is formed in a portion of the  
exterior surface of the wall to expose a limited portion of the overlying panel's  
periphery.

19. (original) The product or container of claim 16 in which an adhesive layer between the overlying and base panels temporarily bonds the overlying and base panels together.

20. (original) The product or container of claim 19 in which adhesive characteristics of the adhesive layer are not adversely affected by transmissions of heat from the molten material that forms the wall of the product or container.

21. (original) The product or container of claim 20 in which the adhesive layer is a pressure-sensitive adhesive layer.

22. (original) The product or container of claim 20 in which the adhesive layer is an acrylic emulsion.

23. (original) The product or container of claim 21 in which the multi-panel label further comprises a release layer between the base and overlying panels.

24. (original) The product or container of claim 23 in which the release layer is patterned so that that the pressure-sensitive adhesive layer forms a permanent bond between a first overlapping area located between the base and overlying panels and forms a temporary bond between a second overlapping area located between the base and overlying panels.

25. (original) The product or container of claim 24 in which the overlying panel has a periphery and a first portion of the periphery is within the second overlapping area so that the overlying panel can be peeled away from the base panel for revealing graphics or other information printed on the base panel.

26. (original) The product or container of claim 25 in which the pressure-sensitive adhesive layer remains sufficiently tacky even after the overlying panel has been peeled away so that the overlying panel can be resealed to the base panel within the second overlapping area by the pressure-sensitive adhesive layer.

27. (original) The product or container of claim 16 in which the overlying panel is a first of a plurality of overlying panels that are temporarily bonded to each other.

28. (original) The product or container of claim 27 in which the plurality of overlying panels formed from a folded substrate.

29. (new) The product or container of claim 16 further comprising a first adhesive layer located between the base panel and the wall of the product or container and including a heat-activated adhesive for adhering the base panel to the wall of the product or container in response to the exposure of the heat-activated adhesive to elevated temperatures of a molten material that forms the wall of the product or container.

30. (new) The product or container of claim 29 further comprising a second adhesive located between the base panel and the overlying panel and having adhesive characteristics that are not adversely affected by transmissions of heat from the molten material through the base panel.

31. (new) The product or container of claim 30 further comprising a release layer also located between the base panel and the overlying panel and arranged in a pattern so that the second adhesive layer forms a permanent bond between a first overlapping area located between the base and overlying panels and forms a temporary bond between a second overlapping area located between the base and overlying panels.

32. (new) The product or container of claim 31 in which the overlying panel has a periphery and a first portion of the periphery is within the second overlapping area so that the overlying panel can be peeled away from the base panel revealing graphics or other information printed on the base panel.

33. (new) The product or container of claim 31 in which the overlying panel is perforated so that a portion of the overlying panel can be separated along the perforation and peeled away from the base panel revealing graphics or other information printed on the base panel.

34. (new) The product or container of claim 31 further comprising an adhesive deadening agent applied within the second overlapping so that the overlying panel can be more readily peeled away from the base panel.

35. (new) The product or container of claim 16 in which the base panel is made of a resin film and the overlying panel is made of paper.